

Subject Index

Subject Index

A

- Additional Hydraulic Structures, 1100
- Adjustments to NOAA Atlas 2, 504
- Adoption Authority (General Provisions), 101
- Acronyms and Abbreviations, 105
- Alluvial Fans (Development of), 1400
 - Introduction, 1401
 - Analysis Requirements, 1403
 - Peninsula Development, 1404
 - Additional Considerations, 1404
- Alluvial Fan Flood Protection Measures, 1405
 - Whole Fan Protection, 1405
 - Subdivision of Localized Protection, 1405
 - Single Lot or Structure Protection, 1406
- Example Application, 1406
 - Introduction, 1406
 - Example Development, 1406
 - Example Analysis, 1407
- Alluvial Fans (Drainage Policy), 320
- Anti-Dune Trough Depth, 718
- Appurtenances, (Channel), 778
- Aprons (Baffled-USBR Type IX), 1110
- Assumptions (Storm Runoff), 610
- Awards (Limitation of Tort Damage), 417

B

- Bank Lined Channels, 713
- Basin Characteristics (Storm Runoff), 603
- Basin/Subbasin Sizing (Storm Runoff), 616
- Bend Losses, 814
- Bend Scour, 718
- Bends, 768,772
- Breach of Express/Implied Warranty, 409
- Bridges, Culverts and, 319, 1000
 - Bridges, Design Standards for, 1008
 - Bridge Sizing Criteria, 1009
 - Velocity Limitations, 1009
- Bridge Hydraulics, 1009
 - Hydraulic Analysis, 1009
 - Inlet and Outlet Configuration, 1009
- Example Application, 1009
 - Example: Culvert Sizing, 1010

C

- Calculations Addendum (Hydrologic/Hydraulic), 212
- Calculations Exemption for a Technical Drainage Study, 212
- Channel Drops and Energy Dissipation Structures, 1102
 - Channel Drop Structures, 1103
 - Sloping Riprap Drop Structures, 1103
 - Criteria, 1103
- Channel Routing of Hydrographs, (Storm Runoff) 621
 - Kinematic Wave Method, 623
 - Muskingum-Cunge Method, 624
 - Muskingum Method, 621
- Channels (Open), 700
 - Introduction, 706
 - Open Channel Hydraulics, 706
 - Uniform Flow, 707
 - Uniform Critical Flow Analysis, 708
 - Gradually Varying Flow, 709
 - Rapidly Varying Flow, 710
 - Transitions, 710
 - Introduction, 710
- Maximum Permissible Velocities, 711
- Design Sections and Standards for Natural Channels, 712
 - Introduction, 712
 - Natural Unencroached Channels, 712
 - Natural Encroached Channels, 713
 - Bank Lined Channels, 713
 - Partially Lined Channels, 713
 - Natural Channel Systems 714
 - Natural Channel Morphology and Response, 715
 - Slope, 715
 - Degradation and Aggradation, 715
 - Anti-Dune Trough Depth, 718
 - Bend Scour, 718
 - Contraction Scour, 720
 - Local Scour, 723
 - Total Scour, 730
 - Scour Below Channel Drops, 730
 - Design Considerations, 732
 - Stable Channel, 732
 - Design Discharge, 732
 - Sediment Supply (Upstream Reach), 732
 - Bed Form Roughness, 733
 - Erodable Sediment Size, 734
 - Data Requirements, 735
 - Design Procedure, 736
 - Floodplain Management of Natural Channels, 737

- Design Sections and Standards for Improved Channels, 738
 - Introduction, 738
 - Permanent Unlined Channels, 739
 - Non-Reinforced Vegetation Lined Channels, 739
 - Design Parameters, 740
 - Longitudinal Channel Slopes, 740
 - Roughness Coefficient, 740
 - Cross Sections, 740
 - Low Flow Channel or Underground Low Flow Storm Drain, 740
 - Bottom Width, 740
 - Flow Depth, 741
 - Side Slopes, 741
 - Vegetation Lining, 741
 - Establishing Vegetation, 741
- Riprap Lined Channels, 741
 - Types of Riprap, 742
 - Loose Riprap, 742
 - Grouted Riprap, 742
 - Riprap Material, 743
 - Bedding Requirements, 743
 - Granular Bedding, 743
 - Filter Fabrics, 744
 - Channel Linings, 745
 - Roughness Coefficients, 745
 - Rock Sizing and Lining Dimensions, 747
 - Edge Protection, 750
 - Channel Bend Protection, 750
 - Transitions Protection, 751
 - Concrete Cutoff Walls, 751
- Gabion Lined Channels, 751
- Soil-Cement, 752
 - General Parameters, 752
 - Design Parameters, 752
 - Code Requirements, 753
 - Mix Design, 753
 - Proportioning, 753
 - Testing, 753
- Lining Section, 754
 - General, 754
 - Grade Control Structures, 754
 - Cross Drainage, 754
 - Stairstep Method, 755
 - Plating Method, 755

- Placement, 755
 - Subgrade Preparation, 755
 - Mixing, 755
 - Compaction, 756
 - Construction Joints, 756
 - Finishing, 756
- Curing and Cracking, 757
 - Curing, 757
 - Shrinkage Cracking, 757
- Concrete Lined Channels, 757
 - Design Parameters, 758
 - Code Requirements, 758
 - Concrete Lining Section, 758
 - Concrete Joints, 759
 - Concrete Finish, 760
 - Concrete Curing, 760
 - Reinforcement Steel, 760
 - Earthwork, 761
 - Bedding, 761
 - Underdrain and Weepholes, 761
 - Roughness Coefficients, 762
 - Low Flow Channel, 762
 - Concrete Cutoffs, 762
 - Minor Drainage Channels, 762
 - Special Consideration for Super-Critical Flow, 763
- Hot Weather Concreting Procedures, 763
 - General, 763
 - Preparation for Placing and Curing, 764
 - Construction Practices and Measures, 764
 - Curing, 764
 - General, 764
 - Water Method, 765
 - Other Channel Linings, 765
- Hydraulic Design Standards for Improved Channels, 766
 - Sub-Critical Flow Design Standards, 766
 - Transitions, 766
 - Transition Energy Loss, 767
 - Transition Length, 768
 - Bends, 768
 - Freeboard, 769
- Super-Critical Flow Design Standards, 769
 - Super-Critical Transitions, 769
 - Contracting Transitions, 770
 - Expanding Transitions, 772
 - Bends, 772
 - Spiral Transition Curves, 772
 - Freeboard, 773

- Super-Elevation, 773
- Slug Flow, 774
- Channel Appurtenances, 778
 - Low Flow Channel or Storm Drain, 778
 - Maintenance Access Road, 779
 - Safety Requirements, 781
 - Outlet Protection, 782
 - Configuration of Protection, 782
 - Rock Size, 782
 - Extent of Protection, 784
 - Multiple Conduits, 785
- Example Applications, 785
 - Example: Degradation and Aggradation, 785
 - Example: Super-Critical Contracting Transition, 792
- Civil Law Rule, 402, 404
- Clark County Public Works - County Policies (Local Entity Criteria), 1610
- CN Determination, 609
- Common Enemy Doctrine, 402
- Conceptual Drainage Study, 202
- Conceptual Drainage Study (Letter Contents), 203
- Construction Permits, 215
- Cross Flow, 903
- Culverts and Bridges (Drainage Policy), 319
- Culverts and Bridges, 1000
 - Introduction, 1002
 - Design Standards for Culverts, 1002
 - Culvert Sizing Criteria, 1002
 - Design Frequency, 1002
 - Allowable Cross Street Flow, 1003
 - Minimum Size, 1003
 - Construction Materials, 1003
 - Velocity Limitations and Outlet Protection, 1003
 - Headwater Criteria, 1004
 - Alignment, 1004
 - Temporary Crossing, 1005
 - Multiple Barrel Culverts, 1005
 - Culvert Hydraulics, 1005
 - Inlet Control Condition, 1006
 - Outlet Control Condition, 1006
 - Hydraulic Data, 1008
 - Inlet and Outlet Configuration, 1008
 - Structural Design, 1008
 - Design Standards for Bridges, 1008
 - Bridge Sizing Criteria, 1009
 - Velocity Limitations, 1009

- Bridge Hydraulics, 1009
 - Hydraulic Analysis, 1009
 - Inlet and Outlet Configuration, 1009
- Example Application, 1009
 - Culvert Sizing (Example), 1010

D

- Dam Safety, 1213
- Damages (Punitive), 412
- Debris Control Structures and Basin, 1302
 - Introduction, 1302
 - Debris Racks, 1303
 - Debris Risers, 1303
 - Debris Cribs, 1303
 - Debris Dams and Basins, 1304
 - Sizing of Control Structures and Basins, 1304
 - Sediment Sources, 1305
 - Types of Methods for Predicting Sediment Yield, 1305
 - The Universal Soil Loss Equation, 1306
 - The Modified Universal Soil Loss Equation, 1308
 - Total Sediment Yield, 1309
 - Siting of Control Structures and Basins, 1310
- Debris (Sedimentation and), 904
- Debris and Sedimentation, 1212
 - Trash Racks, 1212
 - Sedimentation, 1212
- Depth-Area Reduction Factors, 504
- Design Flow Rates, 1113
- Design Guidelines and Standards (Detention/Retention), 1203
- Design Sections and Standards for Natural Channels, 712
- Design Sections and Standards for Improved Channels, 738
- Design Standards and Considerations, 1213
 - Dam Safety, 1213
 - Grading Requirements, 1213
 - Depth Limits, 1213
 - Trickle Flow and Basin Dewatering, 1213
 - Embankment Protection, 1213
 - Maintenance Requirements, 1213
 - Local Detention Basin Siting Guidelines, 1214
- Design Standards for Bridges, 1008
- Design Standards for Culverts, 1002
- Design Storms, 505
 - General (Rainfall), 505
- Design Storm Distribution (6-Hour), 505
- Design Storm Events, 315

- Detention, 1200
 - Introduction, 1202
 - Definition of Regional Facilities, 1202
 - Definition of Local Facilities, 1202
 - Local Minor Facilities, 1202
 - Local Major Facilities, 1202
 - Detention/Retention Design Guidelines and Standards, 1203
 - Regional Detention, 1203
 - Local Detention, 1204
 - Local Minor Detention, 1204
 - Local Major Detention, 1205
 - Local Minor Retention, 1205
 - Hydrologic Design Methods and Criteria, 1207
 - Inflow Hydrograph, 1207
 - HEC-1 Method, 1207
 - Modified Rational Method, 1207
 - Detention Basin Design Outflow Limitations, 1208
 - Regional Facilities, 1208
 - Local Facilities, 1208
 - Hydrologic Calculation Methods, 1208
 - HEC-1 Method, 1208
 - Rational Method, 1209
 - Hydraulic Calculations, 1209
 - Low Flow Outlets, 1209
 - Minimum Conduit Size, 1210
 - Flow Calculations, 1210
 - Spillways, 1211
 - Sizing Requirements, 1211
 - Flow Calculations, 1212
 - Debris and Sedimentation, 1212
 - Trash Racks, 1212
 - Sedimentation, 1212
 - Design Standards and Considerations, 1213
 - Dam Safety, 1213
 - Grading Requirements, 1213
 - Depth Limits, 1213
 - Trickle Flow and Basin Dewatering, 1213
 - Embankment Protection, 1213
 - Maintenance Requirements, 1213
 - Local Detention Basin Siting Guidelines, 1214
 - Water Quality, 1214
 - USEPA Regulations, 1214
 - Example Applications, 1214
 - Example: Detention Pond Outlet Sizing, 1214
 - Example: Rational Formula Detention Method, 1216
- Discretionary Immunity (NRS 41.032), 415
- Drainage (Diversion of), 305

- Drainage Facilities Maintenance, 314
- Drainage Impact on Street Maintenance, 904
 - Pavement Deterioration, 904
 - Sedimentation and Debris, 904
 - Landscaped Areas, 905
- Drainage Impacts on Streets, 901
 - Sheet Flow, 902
 - Gutter Flow, 902
 - Storm Duration, 903
 - Temporary Ponding, 903
 - Cross Flow, 903
 - Parking Lots and Driveways, 903
- Drainage (Improvements), 306
- Drainage Law, 400
 - Breach of Express/Implied Warranty, 409
 - Introduction, 401
 - Civil Law Rule, 402, 404
 - Common Enemy Doctrine, 402
 - Fraud/Misrepresentation, 409
 - Historical Evolution of Surface Water Drainage Law, 401
 - Inverse Condemnation - Eminent Domain, 418
 - Limitation of Tort Damage Awards, 417
 - Negligence, 408
 - Nevada Drainage Law, 403
 - NRS 41.032 - Discretionary Immunity, 415
 - NRS 41.033 - Failure to Inspect, 416
 - Nuisance, 411
 - Punitive Damages, 412
 - Reasonable Use Rule, 403, 405
 - Sovereign Immunity, 414
 - Strict Liability, 412
 - Surface Waters - Private Development, 408
 - Surface Waters - Government Entity Liability, 414
 - Trespass, 410
- Drainage Plan, 204, 211
- Drainage Planning and Submittal, Section 200
- Drainage Planning Submittal and Review, 307
- Drainage Policy, 300
 - Introduction, 302
 - Basic Principles, 303
 - Stormwater Drainage System, 303
 - Multi-Purpose Resource, 303
 - Water Rights, 303
 - Jurisdictional Cooperation, 304

- Regional and Local Planning, 304
 - Reasonable Use of Drainage, 304
 - Increase in Rate of Flow, 305
 - Change in Manner of Flow, 305
 - Diversion of Drainage, 305
 - Regional Master Planning, 306
 - Local Master Planning, 306
 - Drainage Improvements, 306
 - Drainage Planning Submittal and Review, 307
 - Floodplain Management, 308
 - FEMA Map Revisions and Amendments, 309
 - Map Revisions, 310
 - Map Amendments, 310
 - Levee Freeboard Criteria, 311
 - Vertical Control (NGVD 29 vs. NAVD 88)
 - Stormwater Runoff Detention, 312
 - Stormwater Runoff Retention, 313
 - Water Quality, 313
 - Drainage Facilities Maintenance, 314
- Technical Criteria, 315
 - Stormwater Management Technology, 315
 - Design Storm Events, 315
 - Stormwater Runoff Determination, 316
 - Streets, 317
 - Culverts and Bridges, 319
 - Floodproofing, 320
 - Alluvial Fans, 320
- Drainage Study Information Form, 202
 - Conceptual, 202
 - Technical, 205
- Driveways (Parking Lots and), 903
- Dry Extended Detention Pond, 1512,
 - Description of Facility, 1512
 - Water Quality Benefits, 1512
 - Design Criteria, 1513
 - Maintenance, 1514

E

- Eminent Domain (Inverse Condemnation), 418
- Energy Dissipation Structures, 1110
- Energy Loss Calculations, 812
- Enforcement Responsibility (General Provisions), 102
- Erosion and Sedimentation, 1300
 - Debris Control Structures and Basins, 1302
 - Introduction, 1302
 - Debris Deflectors, 1302
 - Debris Racks, 1303

- Debris Risers, 1303
- Debris Cribs, 1303
- Debris Dams and Basins, 1304
- Sizing of Control Structures and Basins, 1304
 - Sediment Sources, 1305
 - Types of Methods for Predicting Sediment Yield, 1305
 - The Universal Soil Loss Equation, 1306
 - The Modified Universal Soil Loss Equation, 1308
 - Total Sediment Yield, 1309
- Siting of Control Structures and Basins, 1310
- Control of Erosion From Construction Activities, 1310
 - Introduction, 1310
 - References, 1311
 - Erosion, Sediment, and Debris Control Plans, 1312
 - Performance Standards, 1314
- Example Applications (6-Hour Design Storm Distribution), 505, 507
- Example: Muskingum-Cunge Routing Wave Method, 636

F

- FEMA Map Revisions and Amendments, 309
- First Flush Diversion System, 1511
 - Description of Facility, 1511
 - Water Quality Benefits, 1511
 - Design Criteria, 1511
- Flood Protection Measures (Alluvial Fan), 1405
- Floodplain Management, 308
- Floodproofing (Drainage Policy), 320
- Flow, Analysis (Uniform Critical), 708
- Flow, (Change in Manner of), 305
- Flow, (Gradually Varying), 709
- Flow, (Rapidly Varying), 710
- Flow, (Increase in Rate of), 305
- Flow, (Uniform), 707
- Fraud/Misrepresentation, 409
- Freeboard, 769, 773
- Frequency Curves (Time-Intensity/Rational Method), 505
- Frequency Maps (Rainfall Depth-Duration), 502
- Froude Number Basins (Low-USBR Type IV), 1112

G

- Gabion Drops, 1108
 - Design Criteria, 1108
- General Provisions, Section 100
 - Title, 101
- Glossary, 108
- Governmental Entity Liability (Surface Waters) 414

Graphical Peak Discharge Method (Storm Runoff), 614
Gutter Flow, 902

H

Headwater Criteria, 1004
Henderson, City of, Local Entity Criteria, 1601
Hydraulic Calculations, 1209

- Low Flow Outlets, 1209
 - Minimum Conduit Size, 1210
 - Flow Calculations, 1210
- Spillways, 1211
 - Sizing Requirements, 1211
 - Flow Calculations, 1212

Hydraulic Design, 1113
Hydraulic Evaluation, 905
Hydraulic Structures (Additional), 1100

- Introduction, 1102
- Channel Drops and Energy Dissipation Structures, 1102
 - Channel Drop Structures, 1103
 - Sloping Riprap Drop Structures, 1103
 - Criteria, 1103
 - Vertical Riprap Drop Structures, 1105
 - Gabion Drops, 1108
 - Design Criteria, 1108
 - Straight Drop Spillways, 1110
 - Baffled Aprons (USBR Type IX), 1110
 - Energy Dissipation Structures, 1110
 - Types of Energy Dissipation Structures, 1111
 - Stilling Basins With Horizontal Sloping Aprons, 1111
 - Short Stilling Basin (USBR Type III), 1112
 - Low Froude Number Basins (USBR Type IV), 1112
 - Impact Stilling Basin (USBR Type VI), 1112
 - Hydraulic Design, 1113
 - Riprap Protection, 1113
 - Design Flow Rates, 1113
 - Trajectory Transition Section, 1113
- Example Applications, 1114
 - Example: Sloping Riprap Drop Structure, 1114
 - Example: Vertical Riprap Drop Structure, 1115
 - Example: Vertical Gabion Drop Structure, 1116
 - Example: Impact Stilling Basin, 1118

Hydrographs, Channel Routing of (Storm Runoff), 621

- Muskingum Method, 621
- Kinematic Wave Method, 623
- Muskingum-Cunge Method, 624

Hydrographs, Reservoir Routing of, 624

- Modified Puls Method, 625

- Hydrologic/Hydraulic Calculations Addendum, 212
- Hydrologic Design Methods and Criteria, 1207
 - Inflow Hydrograph, 1207
 - HEC-1 Method, 1207
 - Modified Rational Method, 1207
 - Detention Basin Design Outflow Limitations, 1208
 - Regional Facilities, 1208
 - Local Facilities, 1208
 - Hydrologic Calculation Methods, 1208
 - HEC-1 Method, 1208
 - Rational Method, 1209

I

- Impact Stilling Basin, (USBR Type VI), 1112
- Impact Stilling Basin Example, 1118
- Implementation (General Provisions), 103
- Improvement Plans, 213
- Immunity, 414
 - Sovereign, 414
 - Discretionary - NRS 41.032, 415
- Industrial Permits, 215
- Infiltration Basin, 1503
 - Description of Facility, 1503
 - Water Quality Benefits, 1504
 - Design Criteria, 1504
 - Maintenance, 1505
- Infiltration Trench, 1506
 - Description of Facility, 1506
 - Water Quality Benefits, 1506
 - Design Criteria, 1507
 - Maintenance, 1508
- Inlet Control Condition, 1006
- Inlet and Outlet Configuration, 1008
- Inlet Losses, 815
- Inlet Spacing, 817
- Inspect (Failure to - NRS 41.033), 416
- Interpretation (General Provisions), 102
- Inverse Condemnation (Eminent Domain), 418

J

- Junction and Manhole Losses, 814
- Jurisdiction (General Provisions), 101
- Jurisdictional Cooperation, 304

K

- Kinematic Wave Method (Storm Runoff), 620
 - Basic Concepts, 620
 - Solution Procedure, 620
 - Statistical Analysis - Example: Kinematic Wave Method, 634

L

- Landscaped Areas, 905
- Letter Contents (Conceptual Drainage Study), 203
- Levee Freeboard Criteria, 311
- Liability, 412
 - Strict, 412
 - Governmental Entity Liability - Surface Waters, 414
- Limitation of Tort Damage Awards, 417
- Limitations on Methodology (Storm Runoff), 616
- Local Detention, 1204
- Local Entity Criteria, 1600
 - City of Henderson, 1601
 - City of Las Vegas, 1605
 - City of North Las Vegas, 1608
 - Clark County Public Works, County Policies, 1610
- Local Facilities (Definition of), 1202
- Local Major Detention, 1205
- Local Major Facilities, 1202
- Local Minor Detention, 1205
- Local Minor Facilities, 1205
- Local Minor Retention, 1205
- Local Master Planning, 306
- Local Scour, 723

M

- Maintenance Access Road, 779
- Manholes, 810
- MANUAL, 101
 - Purpose, 101
 - Development, 103
 - Updates, 103
 - Adoption, 104
 - Studies, Reconciliation of Pre- and Post, 104
- Map Amendments, 310
- Map Revisions, 310
- Master Drainage Study, 216
- Maximum Permissible Velocities, 711
- McCarran Airport Rainfall Area Rainfall Data, 506
- Methodology (Storm Runoff), 610, 614

Modified Rational Formula Method, 610
Multi-Purpose Resource, 303
Muskingum-Cunge Routing Wave Method, 636

N

Natural Encroached Channels, 713
Natural Unencroached Channels, 712
Natural Channel Systems, 714
Natural Channel Morphology and Response, 715
Negligence (Drainage Law), 408
Nevada Department of Transportation Criteria, 215
Nevada Drainage Law, 403
NGVD 29 vs. NAVD 88 (Vertical Control), 311
NOAA Atlas 2 (Adjustments to), 504
North Las Vegas, City of (Local Entity Criteria), 1608
NPDES Permits, 214
NRS 41.032 - Discretionary Immunity 415
NRS 41.033 - Failure to Inspect, 416
Nuisance (Drainage Law), 411

O

Open Channels, 700
Outlet Configuration (Inlet and), 1008
Outlet Control Condition, 1006
Outlet Losses, 815
Outlet Protection, 782

P

Parcel Map Studies, 205
Parking Lots and Driveways, 903
Partially Lined Channels, 713
Pavement Deterioration, 904
Peninsula Development, 1404
Permits, 214
 NPDES, 214
 Construction, 215
 Industrial, 215
Pipe, 809
 Size, 809
 Material and Shape, 809
 Joint Sealants and Gaskets, 810
Pipe Form Losses, 813
 Expansion Losses, 813
 Contraction Losses, 813
Pipe Friction Losses, 812

- Ponding (Temporary) 903
- Porous Pavement, 1508
 - Description of Facility, 1508
 - Water Quality Benefits, 1508
 - Design Criteria, 1509
 - Maintenance, 1510
- Precipitation Losses (Storm Runoff), 607
 - Introduction, 607
- Private Development (Surface Waters), 408
- Punitive Damages, 412
- Purpose, (General Provisions), 101

Q

R

- Rainfall, 500
 - Introduction, 502
 - Rainfall Depth-Duration-Frequency Relations, 502
 - Rainfall Depth-Duration-Frequency Maps, 502
 - Rainfall Depths for Durations From 1- to 6- Hours, 503
 - Adjustments to NOAA Atlas 2, 504
 - Depth-Area Reduction Factors, 504
 - Design Storms, 505
 - General, 505
 - 6-Hour Design Storm Distribution, 505
 - Time-Intensity-Frequency Curves for Rational Method, 505
 - General, 505
 - Time-Intensity-Frequency Curves, 506
 - Rainfall Data for McCarran Airport Rainfall Area, 506
 - General, 506
 - Rainfall Depth-Duration-Frequency, 506
 - Time-Intensity-Frequency Data, 506
 - Example Applications
 - Introduction, 506
 - Example: 6-Hour Design Storm Distribution, 507
 - Example: Time-Intensity-Frequency Curves, 508
- Rainfall Intensity (Storm Runoff), 610
- Rational Method (Time-Intensity Frequency Curves for), 505
- Rational Formula Method (Modified), 610
 - Application of the Modified Rational Formula Method, 612
 - Assumptions (Storm Runoff), 610, 617
 - Limitations of Methodology (Storm Runoff), 611
 - Major Storm Analysis, 612
 - Methodology (Storm Runoff), 610
 - Statistical Analysis - Example: Modified Rational Formula Method, 629
- Reasonable Use of Drainage, 304
- Reasonable Use Rule, 403, 405

- References, (See References Section)
- Regional and Local Planning, 304
- Regional Detention, 1203
- Regional Facilities (Definition of), 1202
- Regional Master Planning, 306
- Reservoir Routing of Hydrographs, (Storm Runoff) 624
 - Modified Puls Method, 625
- Review and Approval (General Provisions), 103
- Riprap Protection, 1113
- Runoff Coefficient (Storm Runoff), 612
- Rule, 404
 - Civil Law, 402, 404
 - Reasonable Use, 403, 405

S

- Safety Requirements, 781
- SCS Curve Number Method (Storm Runoff), 608
- SCS TR-55 Method (Storm Runoff), 613
 - Basin/Subbasin Sizing, 616
 - Graphical Peak Discharge Method, 614
 - Limitations on Methodology, 616
 - Methodology, 614
 - Tabular Hydrograph Method, 615
- SCS Unit Hydrograph Method (Storm Runoff), 617
 - Assumptions, 617
 - Lag Time, 618
 - Methodology, 617
 - Roughness Factor, 619
 - Subbasin Sizing, 619
 - Statistical Analysis - Example: SCS Unit Hydrograph Method, 629
 - Statistical Analysis - Example: SCS TR-55 Graphical Peak Flow Method, 632
 - Unit Storm Duration, 619
- Sheet Flow, 902
- Sloping Riprap Drop Structures, 1103
- Sovereign Immunity, 414
- Scour, 718
 - Bend, 718
 - Contraction, 720
 - Local, 723
 - Total, 730
 - Below Channel Drops, 730
- Sedimentation, 1212
- Sedimentation and Debris, 904, 1212
- Sediment Supply (Upstream Reach), 732
- Slope (Open Channels), 715
- Slug Flow, 774
- Spillways, (Straight Drop), 1110

Spiral Transition Curves, 772

Standard Forms (See Standard Forms Section)

Standard Form 1 - Drainage Study Information Form

Standard Form 2 - Drainage Submittal Checklist

Standard Form 3 - Precipitation Depth Versus Return Period

Standard Form 4 - Time of Concentration and HEC-1 Input

Standard Form 5 - Tabular Hydrograph Discharge Summary

Standard Form 6 - Storm Sewer Hydraulic Calculations

Standard Form 7 - Culvert Rating

Statistical Analysis (Storm Runoff), 625

Example Applications, 627

Example: Time of Concentration (Urban), 627

Example: Modified Rational Formula Method, 629

Example: SCS Unit Hydrograph Method, 629

Example: SCS TR-55 Graphical Peak Flow Method, 632

Example: Kinematic Wave Method, 634

Stilling Basins With Horizontal Sloping Aprons, 1111

Storm Duration, 903

Storm Events (Design), 315

Storm Runoff (600)

Introduction (Storm Runoff), 603

Basin Characteristics, 603

Time of Concentration, 603

Urbanized Basins, 605

Precipitation Losses, 607

Introduction, 607

SCS Curve Number Method, 608

CN Determination, 609

Modified Rational Formula Method, 610

Methodology, 610

Assumptions, 610

Limitations on Methodology, 611

Rainfall Intensity, 611

Runoff Coefficient, 612

Application of the Modified Rational Formula Method, 612

Major Storm Analysis, 612

SCS TR-55 Method, 613

Methodology, 614

Graphical Peak Discharge Method, 614

Tabular Hydrograph Method, 615

Limitations on Methodology, 616

Basin/Subbasin Sizing, 616

SCS Unit Hydrograph Method, 617

Methodology, 617

Assumptions, 617

Lag Time, 618

Roughness Factor, 619

- Unit Storm Duration, 619
- Subbasin Sizing, 619
- Kinematic Wave Method, 620
 - Basic Concepts, 620
 - Solution Procedure, 620
- Channel Routing of Hydrographs, 621
 - Muskingum Method, 621
 - Kinematic Wave Method, 623
 - Muskingum-Cunge Method, 624
- Reservoir Routing of Hydrographs, 624
 - Modified Puls Method, 625
- Statistical Analysis, 625
- Example Applications, 627
 - Example: Time of Concentration (Urban), 627
 - Example: Modified Rational Formula Method, 629
 - Example: SCS Unit Hydrograph Method, 629
 - Example: SCS TR-55 Graphical Peak Flow Method, 632
 - Example: Kinematic Wave Method, 634
 - Example: Muskingum-Cunge Routing Wave Method, 636
- Storm Sewer Systems, 800
 - Introduction, 803
 - Design Parameters, 804
 - Allowable Storm Sewer Capacity, 804
 - Allowable Storm Sewer Velocity, 804
 - Manning's Roughness Coefficient, 805
 - Storm Sewer Layout, 805
 - Vertical Alignment, 805
 - Minimum and Maximum, Cover, 805
 - Manhole and Junction Spacing, 806
 - Horizontal Alignment, 806
 - Utility Clearances, 806
 - Water Mains, 807
 - Sewer Mains, 807
 - Allowable Storm Inlet Types and Capacity Factors, 807
 - Other Closed Conduit Criteria, 808
 - Angle of Confluence, 808
 - Connector Pipe and Depth Calculation, 808
- Construction Standards, 809
 - Pipe, 809
 - Size, 809
 - Material and Shape, 809
 - Joint Sealants and Gaskets, 810
 - Manholes, 810
 - Storm Sewer Inlets, 810
 - Storm Sewer Outlets, 810

- Storm Sewer Hydraulics, 811
 - Hydraulic Analysis, 811
 - Pressure Flow Analysis, 811
 - Partial Full Flow Analysis, 812
- Energy Loss Calculations, 812
 - Pipe Friction Losses, 812
 - Pipe Form Losses, 813
 - Expansion Losses, 813
 - Contraction Losses, 813
 - Bend Losses, 814
 - Junction and Manhole Losses, 814
 - Inlet Losses, 815
 - Outlet Losses, 815
- Storm Inlet Hydraulics, 815
 - Inlets on Continuous Grade, 816
 - Inlets in a Sump Condition, 817
 - Inlet Spacing, 817
- Storm Sewer System Design, 817
 - Initial Storm Sewer Sizing, 818
 - Final Storm Sewer Sizing, 818
- Example Application, 819
 - Introduction, 819
 - Example: Storm Sewer Hydraulic Analysis, 819
 - Example: Grate Inlet Hydraulic Analysis, 823
- Stormwater Drainage System, 303
- Stormwater Management Technology, 315
- Stormwater Runoff Detention, 312
- Stormwater Runoff Retention, 313
- Stormwater Runoff Determination, 316
- Stormwater Runoff/Multi-Purpose Resource, 303
- Streets, 900
 - Introduction, 901
 - Function of Streets in the Drainage System, 901
 - Drainage Impacts on Streets, 901
 - Sheet Flow, 902
 - Gutter Flow, 902
 - Storm Duration, 903
 - Temporary Ponding, 903
 - Cross Flow, 903
 - Parking Lots and Driveways, 903
- Drainage Impact on Street Maintenance, 904
 - Pavement Deterioration, 904
 - Sedimentation and Debris, 904
 - Landscaped Areas, 905
- Street Classification and Allowable Flow Depth, 905
- Hydraulic Evaluation, 905

- Example Application, 906
 - Introduction, 906
 - Example: Allowable Flow in 100 Foot ROW Street, 906
- Submittal and Review Process (Drainage Planning and Submittal), 201
- Study Contents, (Conceptual Drainage), 202
- Study Contents, (Technical Drainage), 205
- Study Contents, (Master Drainage), 216
- Structural Best Management Practices, 1500
 - Introduction, 1502
 - Infiltration Basin, 1503
 - Description of Facility, 1503
 - Water Quality Benefits, 1504
 - Design Criteria, 1504
 - Maintenance, 1505
 - Infiltration Trench, 1506
 - Description of Facility, 1506
 - Water Quality Benefits, 1506
 - Design Criteria, 1507
 - Maintenance, 1508
 - Porous Pavement, 1508
 - Description of Facility, 1508
 - Water Quality Benefits, 1508
 - Design Criteria, 1509
 - Maintenance, 1510
 - First Flush Diversion System, 1511
 - Description of Facility, 1511
 - Water Quality Benefits, 1511
 - Design Criteria, 1511
 - Maintenance, 1511
 - Dry Extended Detention Pond, 1512
 - Description of Facility, 1512
 - Water Quality Benefits, 1512
 - Design Criteria, 1513
 - Maintenance, 1514
 - Vegetated Swale, 1514
 - Description of Facility, 1514
 - Water Quality Benefits, 1514
 - Design Criteria, 1515
 - Maintenance, 1516
 - Water Quality Inlet, 1516
 - Description of Facility, 1516
 - Water Quality Benefits, 1516
 - Design Criteria, 1517
 - Maintenance, 1518
- Surface Waters, 408
 - Private Development, 408
 - Governmental Entity Liability, 414

T

Tabular Hydrograph Method (Storm Runoff), 615
Technical Criteria (Drainage Policy), 315
Technical Drainage Study (Study Contents), 205
Time-Intensity-Frequency Curves (Rational Method), 505
Time-Intensity-Frequency Data, 506
Time of Concentration (Storm Runoff), 603
 Statistical Analysis - Example: Time of Concentration (Urban), 627
Title (General Provisions), 101
Tort Damage Awards (Limitation of), 417
Trajectory Transition Section, 1113
Trash Rack, 1212
Trespass (Drainage Law) 410

U

Underdrain and Weepholes, 761
Uniform Critical Flow Analysis, 708
Uniform Flow (Open Channels), 707
Unit Storm Duration, 619
Urbanized Basins, 605
USEPA Regulations, 1214

V

Variance Procedures (General Provisions), 102
Vegetated Swale, 1514
 Description of Facility, 1515
 Water Quality Benefits, 1514
 Design Criteria, 1515
 Maintenance, 1516
Velocities, (Maximum Permissible), 711
Velocity Limitation and Outlet Protection, 1003
Vertical Control (NGVD 29 vs. NAVD 88), 311
Vertical Riprap Drop Structure, 1105
Vertical Riprap Drop Structure Example, 1115
Vertical Gabion Drop Structure Example, 1116

W

Warranty (Breach of Express/Implied) 409
Water, Historical Evolution of Surface Water (Drainage Law), 401
Water Rights, 303
Water Quality, 313, 1214

Water Quality Inlet, 1516
 Description of Facility, 1516
 Water Quality Benefits, 1516
 Design Criteria, 1517
 Maintenance, 1518

X

Y

Z